

July 28, 2022

Via Email/Sharefile

Mr. Sameh Abdellatif Hazardous Waste Programs Branch US Environmental Protection Agency Region 2 290 Broadway, 22<sup>nd</sup> Floor New York, New York 10007-1866

Re: Second Quarter 2022 Progress Report

Hess Corporation – Former Port Reading Complex (HC-PR)

750 Cliff Road

Port Reading, Middlesex County, New Jersey

**EPA ID No. NJD045445483** 

NJPDES Permit NJ0028878 & NJ0102709

Dear Mr. Abdellatif:

Enclosed please find the Second Quarter 2022 Progress Report for the above referenced site. This report was prepared by Earth Systems, Inc. on behalf of Hess Corporation. As required by Module II (D) of the Hazardous and Solid Waste Amendments (HSWA) Permit number NJD045445483, the enclosed report presents activities associated with the Solid Waste Management Units (SWMUs), including the North Landfarm, South Landfarm, and No. 1 Landfarm, all of the Areas of Concern (AOCs), Historic Spills (HSs), and Remediation Management Units (RMUs) identified at the Former Port Reading Complex.

Should you have any questions or comments relating to this report, please call me at 732-739-6444, extension 2305. I can also be reached via e-mail at <a href="mailto:ablake@earthsys.net">ablake@earthsys.net</a>. If you have any questions relating to the project and schedule moving forward, you can also contact Mr. John Schenkewitz of Hess Corporation at 609-406-3969.

Sincerely,

Earth Systems, Inc.

Amv Blake

Senior Project Manager

cc: Ms. Julia Galayda – NJDEP (via sharefile)

Mr. John Schenkewitz – Hess Corporation (electronic copy)

Mr. Rick Ofsanko – Earth Systems, Inc. (electronic copy) Mr. John Virgie – Earth Systems, Inc. (electronic copy)

# **SECOND QUARTER 2022 PROGRESS REPORT**

HESS CORPORATION – FORMER PORT READING COMPLEX
NORTH LANDFARM, NO.1 LANDFARM, and SOUTH LANDFARM
SOLID WASTE MANAGEMENT UNITS (SWMUS), AREAS OF CONCERN (AOCS),
HISTORIC SPILLS (HSS), AND COMBINED REMEDIATION MANAGEMENT UNITS

Hess Corporation – Former Port Reading Complex 750 Cliff Road Port Reading, Middlesex County, New Jersey EPA ID#: NJD045445483

**JULY 2022** 

Prepared for:



# **Hess Corporation**

Trenton-Mercer Airport 601 Jack Stephan Way West Trenton, New Jersey 08628

Prepared by:



1625 Highway 71 Belmar, New Jersey 07719

# **TABLE OF CONTENTS**

1.0	INTRODUCTION AND SUMMARY TABLE	
2.0	ISRA AND REGULATORY REQUIREMENTS UPDATE	2
	GROUNDWATER GAUGINGLNAPL IRM	
3.0	GROUNDWATER MONITORING	8
4.0	AREAS OF CONCERN AND SOLID WASTE MANAGEMENT UNITS UPDATE	8
5.0	SCHEDULE	10

**FIGURES** 

FIGURE 1: USGS Site Location Map

FIGURE 2: Site Plan FIGURE 3: Tax Map

FIGURE 4: Historic and Areas of Concern Map (4.1 through 4.5)

FIGURE 5: Historic Spill Location Map

FIGURE 6: April Monthly Gauging Contour Map FIGURE 7: May Monthly Gauging Contour Map FIGURE 8: June Monthly Gauging Contour Map

FIGURE 9: May Semi-Annual Gauging Contour Map (9.1 through 9.3)
FIGURE 10: North Landfarm Groundwater Contour Map (April 2022)
FIGURE 11: South Landfarm Groundwater Contour Map (April 2022)
FIGURE 12: No. 1 Landfarm Groundwater Contour Map (April 2022)

**TABLES** 

TABLE 1: Monthly Groundwater Gauging Table
TABLE 2: Semi-Annual Groundwater Gauging Table
TABLE 3: Quarterly Groundwater Gauging Table

TABLE 4: Historic LNAPL Table

**APPENDICES** 

Appendix A: Disposal Manifest – Interceptor Trench / PL-5R

# 1.0 Introduction and Summary Table

Earth Systems, Inc. (Earth Systems) has been retained by Hess Corporation (Hess) to provide environmental consulting services for the Hess Corporation – Former Port Reading Complex (HC-PR) facility located at 750 Cliff Road in Port Reading (Woodbridge Township), Middlesex County, New Jersey. A United States Geological Survey (USGS) 7.5 minute series quadrangle map (Arthur Kill, New Jersey) depicting the site location, facility and associated land features is included as **Figure 1**. A Site Plan has been included as **Figure 2** and a tax map of the site is provided as **Figure 3**.

This report documents the investigative and groundwater sampling activities completed in the Second Quarter 2022 (Q2 2022) at the Solid Waste Management Units (SWMUs), Areas of Concern (AOCs), Historic Spills (HSs) and Remediation Management Units (RMUs). Investigative and remedial activities included groundwater gauging, groundwater monitoring, soil investigation, and Light Non-Aqueous Phase Liquid (LNAPL) monitoring.

An on-site meeting occurred on April 27, 2022, between Hess, Earth Systems, the New Jersey Department of Environmental Protection (NJDEP), and the United States Environmental Protection Agency (USEPA). The purpose of the meeting was to discuss groundwater delineation for AOC 11a – Administration Building and to inspect on-site and off-site ecological features.

#### **SUMMARY OF ACTIONS**

Location	Case Number/ Description	Description and Dates of Action
AOC 1	North Landfarm	Quarterly Groundwater Monitoring – April 2022
AOC 2	South Landfarm	Quarterly Groundwater Monitoring – April 2022
AOC 3	No. 1 Landfarm	Quarterly Groundwater Monitoring - April 2022
AOC 10	Truck Loading Rack	Monthly Groundwater Gauging Events, LNAPL Monitoring & Recovery (Passive & Active) – Conducted as Needed
AOC 14a	TM Monitoring Wells	Monthly Groundwater Gauging Events
AOC 103	Fire Pits / Fire Training Area	Monthly Groundwater Gauging Events, Remedial Investigation Activities
TRMU	Tankfield Remediation Management Unit	Monthly Groundwater Gauging Events
SRMU	Southern Remediation Management Unit	Monthly Groundwater Gauging Events
Tankfields	Industrial Site Recovery Act (ISRA)	Groundwater Monitoring, Remedial Investigation Activities

# 2.0 ISRA and Regulatory Requirements Update

A Preliminary Assessment Report (PAR) was submitted to the NJDEP and the USEPA on October 9, 2015. A total of 117 AOCs were identified in the PAR (**Figure 4.1** through **4.5**). Earth Systems concluded that, of the total number of identified AOCs at the site, 62 AOCs required further investigation. The Site Investigation Report (SIR) was submitted to the New Jersey Department of Environmental Protection (NJDEP) and the United States Environmental Protection Agency (USEPA) on November 7, 2015. The NJDEP provided several comment letters on the SIR. The SIR was approved by the NJDEP and USEPA on August 24, 2021. The following table lists the dates of the comment letters and responses:

NJDEP Comment Letter Date	Response to Comment (RTC) Date
August 10, 2017	December 20, 2017
June 9, 2020	July 31, 2020
December 6, 2018 (Ann Charles NJDEP)	October 19, 2020
December 6, 2018 (Jill Monroe NJDEP)	October 19, 2020
November 17, 2020	February 17, 2021

The SIR comments will be addressed in the Site or AOC specific Remedial Investigation Workplan / Remedial Investigation Report (RIW/RIR) report(s).

RIWs summarizing proposed remedial investigation (RI) activities for selected priority AOCs were initially submitted in 2016. Several supplemental RIWs were also submitted in 2021. As discussed during the October 1, 2021 3<sup>rd</sup> Quarter (Q3) meeting, "At Risk" investigation activities began in October 2021 and are currently ongoing. Please note that "At Risk" work refers to investigation activities that are proposed in a RIW that is submitted to the NJDEP and EPA for review. If the NJDEP and EPA confirm that the RIW 90-day review timeframe cannot be met or the 90-day review period has expired, the proposed investigation activities may then be conducted "At Risk". At the completion of all RI activities (once delineation is complete), a final RIR will be submitted that will document all investigation data and observations.

The following is a summary of submittals for all priority AOCs and AOC groupings, which have been identified by the NJDEP and USEPA:

#### AOC 1 – North Landfarm

- Remedial Investigation Workplan / Remedial Action Workplan (RIW/RAW) submitted to NJDEP/USEPA in the Third Quarter (Q3) 2016
- 90% Soil Remediation Action Design (RAD) for the engineering controls submitted to the NJDEP/USEPA April 2020

- 100% Soil RAD is currently in process with a targeted submittal in 2022
- Updated Groundwater Sampling Plan being prepared for submittal, review, and NJDEP approval in 2022, pending approval of the No. 1 Landfarm Groundwater sampling plan (see below)

#### AOC 2 – South Landfarm

- RIW/RAW submitted to NJDEP/USEPA in Q3 2016
- Comments received from the NJDEP/USEPA on the RIW/RAW in 2019
- Response to the comments will be submitted once investigation of adjacent AOC
   13 Former Oil Water Lagoons is complete
- Updated Groundwater Monitoring Plan being prepared for submittal, review, and NJDEP approval in 2022, pending approval of the No. 1 Landfarm Groundwater sampling plan (see below)

## AOC 3 - No. 1 Landfarm

- RIW/RAW submitted to NJDEP/USEPA in Q3 2016
- 100% Soil RAD was submitted to the NJDEP/USEPA in Q3 2019
- NJDEP/USEPA approved the 100% design in Q2 2020
- Permits were submitted for the final design in June 2020, September 2020, and October 2020 (see Section 4.3 for permits summary)
- Updated Groundwater Sampling Plan submitted to NJDEP/USEPA in Q3 2021 (Comments were provided by the NJDEP on January 27, 2022 and a response submitted on April 22, 2022, currently waiting on additional NJDEP comments in order to finalize the Plan)
- Construction remedial closure activities began in October 2021 and are ongoing with a Q3 2022 target completion date

# AOC 10 – Truck Loading Rack, AOC 57 – Day Tankfield

AREA AOCs – AOC 29 – Mixing Basin, AOC 43 – Truck Unloading Area, AOC 110 – Oil/Water Separator, AOC 111 – Chemical Storage Area, AOC 82 – Former Incinerator Building, AOC 86 - Truck Rack VRU, and AOC 109 – Truck Rack Sump

- RIW/RAW submitted to NJDEP/USEPA in Q3 2016 (AOC 10 only)
- Comments received from NJDEP/USEPA Q1 and Q2 2017
- Response to Comments (RTC) submitted in Q3 2017
- RIW/RAW Approved Q4 2017 and Q3 2018
- RI activities conducted in Q4 2018, Q3 2019, and Q4 2019
- Supplementary revised RIW was submitted in Q2 2021 (all AOCs specified above)
- "At Risk" RI activities began December 2021 and are ongoing
- Groundwater monitoring (existing wells and new wells) will be conducted in Q3 2022

# AOC 11a – Administration Building; AOC 78 – Administration Building Drainage Channel

- RIW/RAW submitted to NJDEP/USEPA in Q1 2016 and approved by NJDEP/USEPA in Q2 2017
- RI activities began in Q3 2017 and are currently ongoing
- Indoor air sampling was conducted in Q3 2020 and Q1 2021
- A meeting was held on March 16, 2022, to discuss delineation activities for AOC 11a and Site drilling constraints. A power point presentation was provided to the NJDEP and USEPA on March 11, 2022, which summarized historic investigation activities and proposed future investigation activities. The NJDEP requested additional information via email on March 17, 2022. The additional requested information was provided to the NJDEP/EPA on April 21, 2022
- A Site visit with the NJDEP/USEPA occurred on April 27, 2022. The purpose of the visit was to observe drilling constraints and discuss off-site delineation. The NJDEP requested additional information regarding drainage plans for the neighboring property. Earth Systems/Hess is currently reviewing information provided by the neighboring property and will provide to the NJDEP/USEPA once the review is complete.

#### AOC 12 - Smith Creek and Detention Basin

- RIW/RAW submitted to NJDEP/USEPA in Q3 2016
- Comments received from the NJDEP/USEPA in Q1 2017
- RTC submitted in Q2 and Q4 2017
- RIW/RAW approved by NJDEP/USEPA Q2 2018
- Sediment and surface water investigation conducted in 2018 and 2019
- Soil investigation and monitoring well installation (on and off-site) conducted in Q3 2019
- Supplementary revised RIW was submitted Q3 2021 (Comments were provided by the NJDEP in Q1 2022 and a response is currently being prepared for submittal in Q3 2022)

# **AOC 19 – QC Laboratory**

- RIW/RAW submitted to NJDEP/USEPA Q2 2016 and approved Q2 2016
- Remedial Investigation Report / Remedial Action Report (RIR/RAR) submitted to NJDEP/USEPA Q2 2017
- Comments received from the NJDEP/USEPA in Q3 2017
- RTC submitted Q3 2017
- Revised RIR/RAR submitted to NJDEP/USEPA Q1 2018
- NJDEP/USEPA meeting in Q2 2018
- Revised RIR/RAR submitted in Q3 2019 and approved in Q4 2019

- Remedial Action Permits (RAPs) for soil and groundwater submitted to NJDEP
   Site Remediation in Q1 2021 for review prior to submittal
- Deed notice approved by NJDEP/USEPA in Q1 2021 and was filed with Middlesex County
- Meeting was held with NJDEP/USEPA on May 18, 2021, and additional supplemental sampling was requested prior to submitting the final RAPs to NJDEP permitting
- Groundwater sampling was conducted on July 1, 2021
- Final RAPs were submitted to NJDEP Bureau of Remedial Action Permitting in Q3 2021 and comments/revisions were sent via email on March 8, 2022 (from the Site Remediation Case Team). All requested revisions were completed, and the revised documents uploaded to the Earth Systems portal on May 20,2022.
- A revision to Exhibit B-1 of the Classification Exception Area (CEA) packet was requested by the NJDEP on June 16, 2022, and the revised exhibit was uploaded to the Earth Systems portal on June 28, 2022.

# AOC 103 – Fire Pits/Fire Training Area (Part of AOC Group – Proposed Future Solar Field Area)

- Site Investigation Workplan (SIW) submitted to NJDEP/USEPA in Q2 2019
- Comments received from NJDEP/USEPA in Q2 2019
- Teleconference and quarterly progress meeting with NJDEP/USEPA in Q2 2019
- RTC submitted in Q2 2019
- Revised SIW submitted in Q4 2019 and approved by NJDEP/USEPA in Q4 2019
- Seven (7) groundwater monitoring wells installed and sampled in Q1 2020
- A PowerPoint presentation summarizing the investigation and recommendations for further investigation was provided to the NJDEP/USEPA on April 9, 2020 and discussed during a teleconference on June 29, 2020
- NJDEP provided additional comments on July 7, 2020 and RTC was submitted to the NJDEP on August 18, 2020
- RIW submitted to NJDEP/EPA in Q1 2021
- NJDEP provided comments on July 28, 2021 and a meeting was held to discuss the comments on August 16, 2021
- RTC was submitted to NJDEP/USEPA on September 28, 2021
- RIW was approved on October 12, 2021
- RI activities began in November 2021 and are ongoing

# AOC 16b – Marine Terminal Loading Area, AOC 85 – Marine VRU (RIW also includes area AOCs)

- Marine Area RIW submitted to NJDEP/USEPA in Q3 2021
- "At Risk" RI activities began in Q1 2022 and are ongoing

Tankfields – AOC 6 – HSWA UST, AOC 14a – First Tankfield, AOC 46 – Slop Gasoline Unloading Area, AOC 53 – Second Tankfield, AOC 54 – Third Tankfield, and AOC 56 – Second Reserve Tankfield

- RIW/RAW submitted to NJDEP/USEPA in Q2 2021
- "At Risk" RI activities began in Q1 2022 and are ongoing
- Groundwater monitoring was conducted in Q2 2022 and the analytical results will be provided in the final RIR

Former Refining Area Remediation Management Unit - AOC-9 Alkylation Unit (Sewer Line), AOC-18 Dimersol Unit, AOC-20a T1600-A and T-1600B Transformers, AOC-20b T510-A and T510-B Transformers, AOC-25 X-1950A and X-1950B (Alkylation Neutralization Basin), AOC-26 D-1104 (MEA Sump, AOC-27 EADC Sump, AOC-28 Cooling Water Tower, AOC-30 Sulfur Pit, AOC-31 Brine Pit, AOC-32 X-1951 (SRU Neutralization Basin), AOC-38 NH3 Truck Loading Rack/Ammonia Area, AOC-39 EADC Truck Unloading Area, AOC-40 Fresh Acid Unloading Area, AOC-45 Former Sulfur Recovery Unit Truck Loading Rack, AOC-47 Bleach Truck Unloading Area, AOC-58 Former Chemical Storage Area, AOC-59 API Storage Area, AOC-60 Avenue B Tank Field, AOC-80 Former Crude Topping Unit, AOC-88 Compressor Building, AOC-89 Cracking Tower, AOC-92 TK-701A and TK-701B, AOC-96 Boiler Area, AOC-99 Chemical Storage Area, AOC-117 Diesel Powered Emergency Generator - Millwright's Shop

- RIW/RAW submitted to NJDEP/USEPA in Q2 2021
- "At Risk" RI activities initiated in Q3 2021
- Additional "At Risk" RI activities scheduled to begin again in Q3 2022

### 2.1 Groundwater Gauging

HC-PR conducts monthly gauging events as part of the Interim Remedial Measures (IRMs) at the site. Bi-weekly gauging events target monitoring wells with a history of LNAPL or sheen, and wells in close proximity to LNAPL or sheen detections.

### Bi-Weekly Gauging

Groundwater gauging is currently conducted for the following thirty-six (36) monitoring wells: (PL-1RR, PL-2, PL-3R, PL-4RR, PL-5R, PL-6R, PL-7, PL-8R, PL-9R, TF-1, TF-2, TF-3, TM-6R, TM-7, TR-1R, TR-2R, TR-3RR, TR-3D, TR-3DD, TR-4R, TR-4D, TR-4DD, TR-5, TR-5D, TR-5DD, TR-6, TR-6D, FA-1, FA-2, FA-3, FA-4, FA-5, FA-6, FA-7, FA-14, and FA-15), two (2) recovery sumps (TR-Sump-1 and TR-Sump-2), the interceptor trench, and six (6) surface water gauges (DB-SW, LN-SW, L1-SW, SC-SG-1, SC-SG-1A, and SC-SG-2). Please note that monitoring wells TR-2R, TR-4R, TR-4D, and TR-4DD were inaccessible during the Q2 2022 gauging events due to flooding.

All monitoring wells are gauged by utilizing a Solinist oil/water interface probe and measured from a surveyor's mark (present on the top of the inner casing) to the top of the groundwater table.

During the Q2 of 2022, bi-weekly gauging was conducted in April, May, and June (summarized below). The results of the gauging activities are provided in **Table 1**. Historic LNAPL levels are summarized in **Table 3**.

In addition, the semi-annual gauging event was conducted on May 20, 2022. The results of the gauging event are summarized below and in **Table 2**.

For reference purposes, all site monitoring well documentation has been compiled into a comprehensive Well Manual. As of the date of this report preparation, the current version of the approved Well Manual is dated November 19, 2021. The Well Manual is revised as new wells are installed, modified, and/or abandoned at the site and re-dated pursuant to agreements between USEPA, NJDEP, Earth Systems, and Hess. The Well Manual includes the following:

- Master Well Construction Details Summary Table
- Well Permits
- Well Records
- Geologic Well Logs
- Form B's

The results of the Q2 2022 monthly groundwater gauging events are summarized below:

- During the April 2022 gauging events, a measurable thickness of LNAPL was encountered in monitoring wells FA-5 and PL-5R. A discontinuous sheen was encountered in monitoring wells PL-1RR, TF-2, FA-3, and the interceptor trench.
- During the May 2022 gauging events, a measurable thickness of LNAPL was encountered in monitoring wells FA-3 and FA-5. A discontinuous sheen was encountered in monitoring wells PL-1RR, PL-5R, TF-2, and the interceptor trench.
- During the June 2022 gauging events, a measurable thickness of LNAPL was encountered in monitoring wells FA-5 and PL-5R. A discontinuous sheen was encountered in monitoring wells PL-1RR, PL-2, TF-2, FA-3, and the interceptor trench.

An analysis of groundwater elevations indicate that groundwater flow direction is generally to the south and east, consistent with historic groundwater flow direction on the Site and the Port Reading Conceptual Site Model (CSM) (see **Figures 6**, **7**, **8**, and **9**).

#### 2.2 LNAPL IRM

Currently, passive LNAPL recovery methods and scheduled vacuum extraction events are being utilized at the site. Absorbent socks are placed in impacted wells and replaced as necessary. All used socks are placed in a 55-gallon drum staged on-site. Once at capacity, the drum is removed from the HC-PR site and disposed of at a licensed waste disposal facility. Vacuum extraction events are scheduled, as necessary, to address LNAPL observed in the interceptor trench and any monitoring well with significant

measurable product. One vacuum extraction event was conducted in Q2 2022. On June 22, 2022, a total of 349-gallons of petroleum impacted water was removed from the interceptor trench and PL-5R. Disposal documentation is included in **Appendix A**.

## 3.0 Groundwater Monitoring

On April 19, 20, and 21, 2022, groundwater samples were collected via low-flow sampling methodology in accordance with the NJDEP's *Field Sampling Procedures Manual (FSPM)* at the three (3) Landfarm locations (North, No.1, and South Landfarms).

Samples were collected in laboratory supplied glassware and transferred to Alpha Analytical (Alpha) of Westborough, Massachusetts (NJ NELAP Certification No. MA015/MA935) under strict chain of custody procedures.

Pursuant to NJDEP/USEPA direction (via comment letter dated November 13, 2020), analytical results are no longer included in the Quarterly reports. Analytical results will be provided in the Semi-Annual Report only, which will be submitted in July 2022. Groundwater gauging maps for the landfarms are included as **Figures 10**, **11**, and **12** and groundwater elevations are summarized on **Table 2**.

#### 4.0 Areas of Concern and Solid Waste Management Units Update

As discussed previously, a PAR and SIR were submitted to the NJDEP and USEPA on October 9, 2015 and November 7, 2015, respectively. The SIR described the soil and groundwater investigation activities conducted on the site. Several RIW's were submitted subsequent to the SI for select AOCs. The following is a brief summary of any remediation and/or RI activities conducted during Q2 2022.

# AOC-3 No. 1 Landfarm (SWMU)

A RAW was submitted to the USEPA and NJDEP in September 2016 and comments were received from the USEPA and NJDEP on July 9, 2018. A 100% Soil RAD for the No. 1 Landfarm engineering control was submitted on May 24, 2019. Comments regarding the 100% engineering control design submittal were received from the NJDEP on October 7, 2019. The comments were addressed by Hess/Earth Systems on November 1, 2019 and the NJDEP subsequently approved the response. The NJDEP and USEPA issued an approval letter of the 100% RAD on April 28, 2020.

The following permits were submitted in June 2020 and October 2020 and have been approved by the NJDEP on the dates provided:

- Soil Erosion & Sediment Control Plan (Freehold Soil Conservation District), approved on August 17, 2020
- Flood Hazard Area Individual Permit (NJDEP Land Use Regulation Program), approved on September 25, 2020

- Waterfront Development GP-11 Permit (NJDEP Land Use Regulation Program), approved on September 25, 2020
- Freshwater Wetland GP-4 Permit (NJDEP Land Use Regulation Program), approved on September 25, 2020
- NJPDES B4B Permit (NJDEP Wastewater Program), approved on September 15, 2020
- Treatment Works Approval TWA-1 Permit (NJDEP Wastewater Program), approved on February 18, 2021
- NJPDES Individual Permit (NJDEP Stormwater Program), public comment period is over and approved on August 1, 2021.

New Jersey Pollutant Discharge Elimination System (NJPDES) personnel conducted a Site inspection on June 16, 2022 of the No. 1 Landfarm leachate system. A report regarding the inspection results is not available yet. Once the report is available, it will be included in the next Quarterly Report.

The updated Groundwater Sampling Plan for the No. 1 Landfarm was submitted on August 25, 2021 to the NJDEP and USEPA. The NJDEP provided comments on January 27, 2022, and a response was submitted on April 22, 2022. As per an email from the NJDEP on June 29, 2022, the NJDEP will be providing additional comments for the sampling plan.

Landfarm capping and construction activities were initiated in October 2021 and are currently ongoing.

#### AOC 19 – QC Laboratory & AOC 90 – Former Drum Compound

Final RAP applications were submitted to the NJDEP Bureau of Remedial Action Permitting for review on August 26, 2021. The NJDEP Site Remediation Case Team provided comments via email on March 8, 2022 and June 16, 2022. All requested revisions were completed, and the revised documents uploaded to the Earth Systems portal on May 20, 2022 and June 28, 2022 for NJDEP case team review and subsequent RAP approval from the permitting team.

# <u>AOC 103 – Fire Pits/Fire Training Area (Part of AOC Group – Proposed Future Solar Project Area)</u>

The Proposed Future Solar Project Area RIW, which includes AOC 103, was submitted on April 26, 2021. The NJDEP provided comments on July 28, 2021 and a meeting was held on August 16, 2021 to discuss the comments. A RTC was submitted by Hess/Earth Systems on September 28, 2021. The RIW was approved on October 12, 2021 and RI activities started in November 2021 and are ongoing. At the completion of all RI activities, a final RIR will be submitted that will document all investigation data and observations.

#### Tankfields

A Supplemental RIR/RIW was submitted in Q2 2020. Based upon subsequent discussions with NJDEP/USEPA pertaining to the Port Reading June 9, 2020 memo (i.e. the "over-arching issues" memo), the RIR/RIW was rescinded and revised to incorporate

the additional requested information. The revised RIR/RIW was submitted on May 10, 2021. As discussed during the Q3 Quarterly meeting, "At Risk" investigation activities began in October 2021 and are currently ongoing. At the completion of all RI activities, a final RIR will be submitted that will document all investigation data and observations.

#### 5.0 Schedule

### Site-wide LNAPL Monitoring & Recovery

Bi-weekly gauging events continue to be conducted as part of the IRM at the site. In addition, LNAPL will continue to be removed via vacuum truck from both the interceptor trench and select monitoring wells, as necessary. Passive absorbent socks and booms will also continue to be deployed in both the interceptor trench and select monitoring wells, as necessary.

# AOC 10 - Truck Loading Rack and AOC 57 - Day Tankfield

As discussed during the Q3 Quarterly meeting, "At Risk" investigation activities began in October 2021 and are currently ongoing. At the completion of all RI activities, a final RIR will be submitted that will document all investigation data and observations.

Groundwater monitoring (existing and new wells) is scheduled to be conducted in Q3 2022. Analytical results will be provided in the final RIR.

#### AOC 12 – Smith Creek and Detention Basin

A Supplemental RIR/RIW was submitted in Q1 2020. Based upon subsequent discussions with NJDEP/USEPA pertaining to the Port Reading June 9, 2020 memo (i.e. the "over-arching issues" memo), the RIR/RIW was rescinded and revised to incorporate the additional requested information. The revised RIR/RIW was submitted on July 30, 2021. The NJDEP provided comments on February 23, 2022 and a response is currently being prepared with a Q3 2022 targeted submittal date.

# AOC 103 – Fire Pits/Fire Training Area (Part of AOC Group – Proposed Future Solar Field Area)

The RIW was approved on October 12, 2021 and RI activities began in November 2021 and are still ongoing. At the completion of all RI activities, a final RIR will be submitted that will document all investigation data and observations.

### AOC 11a - Administration Building

A meeting was held on March 16, 2022, to discuss delineation activities for AOC 11a and Site drilling constraints. A power point presentation was provided to the NJDEP and USEPA on March 11, 2022, which summarized historic investigation activities and proposed future investigation activities. The NJDEP requested additional information via email dated March 17, 2022. The additional information was provided to the NJDEP/USEPA on April 21, 2022. A Site visit with the NJDEP/USEPA occurred on April 27, 2022. The NJDEP requested additional information regarding drainage plans for the neighboring property. Earth Systems/Hess is currently reviewing information provided by

the neighboring property and will provide to the NJDEP/USEPA once the review is complete.

## Former Refining Area Remediation Management Unit (FRAMU)

As discussed during the Q3 Quarterly meeting, "At Risk" investigation activities began in October 2021 and are currently ongoing. At the completion of all RI activities, a final RIR will be submitted that will document all investigation data and observations.

#### Former Marine Loading Dock Area

The Marine Loading Dock Area RIW was submitted on July 12, 2021. As discussed during the Q3 Quarterly meeting, "At Risk" investigation activities began during Q1 2022 and are currently ongoing. At the completion of all RI activities, a final RIR will be submitted that will document all investigation data and observations.

Groundwater monitoring (existing and new wells) is scheduled to be conducted in Q3 2022. Analytical results will be provided in the final RIR.

#### Tankfields

As discussed during the Q3 USEPA/NJDEP/Hess/Earth Systems meeting, "At Risk" investigation activities began during Q1 2022 and are currently ongoing. At the completion of all RI activities, a final RIR will be submitted that will document all investigation data and observations.

Groundwater monitoring (existing and new wells) is scheduled to be conducted in Q3 2022. Analytical results will be provided in the final RIR.

# **Landfarms**

The next quarterly sampling event for the North, South, and No. 1 Landfarms is scheduled in July 2022.

AOC 1 – North Landfarm (SWMU)

Routine groundwater monitoring will continue at the North Landfarm, pending approval and execution of the proposed Closure Plan. A RAW was submitted to the USEPA and NJDEP for the North Landfarm in September 2016. Comments were received from the USEPA and NJDEP on June 7, 2018. A 90% Soil Remediation Action Design (RAD) for the North Landfarm engineering control was submitted to the USEPA and NJDEP on October 24, 2019. The NJDEP and USEPA issued an approval letter for the 90% design on April 28, 2020. The current owner, Buckeye, has recently completed the lining of the tankfield located directly adjacent to the North Landfarm. The 100% RAD is in the process of being finalized for 2022 submittal.

The updated Groundwater Sampling Plan for the North Landfarm is being prepared and will be submitted pending approval of the Groundwater Sampling Plan for the No. 1 Landfarm.

AOC 2 – South Landfarm (SWMU)


Routine groundwater monitoring will continue at the South Landfarm, pending approval and execution of the proposed Closure Plan. A RAW was submitted to the USEPA and NJDEP for the South Landfarm in September 2016. Comments were received from the USEPA and NJDEP on March 20, 2019. A RIW is currently being prepared for AOC 13-Former Oily Water Lagoon Area, which is adjacent to the South Landfarm. A response will be provided to the NJDEP South Landfarm comments once an investigation of the AOC 13 area is complete.


The updated Groundwater Sampling Plan for the South Landfarm is being prepared and will be submitted pending approval of the Groundwater Sampling Plan for the No. 1 Landfarm.


# AOC 3 – No. 1 Landfarm (SWMU)


Routine groundwater monitoring will continue at the No. 1 Landfarm during closure activities. The updated Groundwater Sampling Plan for the No. 1 Landfarm was submitted on August 25, 2021 to the NJDEP and USEPA. The NJDEP provided comments on January 27, 2022 and a response was submitted on April 22, 2022. As per an email from the NJDEP on June 29, 2022, the NJDEP will be providing additional comments for the report.


Remedial capping activities began in October 2021 for the No. 1 Landfarm and are ongoing.












































- Buckeye Petroleum Pipeline 608
- Buckeye Petroleum Pipeline 609


**SITEWIDE GROUNDWATER ELEVATION CONTOUR - INTERMEDIATE** 


FORMER PORT READING COMPLEX **PORT READING, NEW JERSEY** 


7/14/22 006148 Drawn By:





This map was developed using New Jersey Department of Environmental Protection Geographic Information System Digital Data, but this secondary product has not been verified by NJDEP and is not state Authorized. Source: NAD 1983 (2011) New Jersey State Plane FIPS 2900 US FT.











Well I.D.	Date  4/7/2022  4/22/2022  5/4/2022  5/20/2022  6/2/2022  6/23/2022	Depth to LNAPL (ft)	Depth to Water (ft)	LNAPL Thickness (ft)	DTB from TOC (ft)	TOC Elevation	Groundwater Elevation	PID	Notes
-	4/22/2022 5/4/2022 5/20/2022 6/2/2022 6/23/2022	-	0.00		. ,	(ft amsl)	(ft amsl)		
-	5/4/2022 5/20/2022 6/2/2022 6/23/2022	-		-	15.20	7.36	7.36	12.3	Discontinuous Sheen, Sock 1/4 absorbed
-	5/20/2022 6/2/2022 6/23/2022		0.50	-	15.20	7.36	6.86	33.1	Discontinuous Sheen, Sock 1/4 absorbed
PL-2	6/2/2022 6/23/2022	-	0.25 1.07	-	15.20 15.00	7.36 7.36	7.11 6.29	45.1 12.3	Discontinuous Sheen, Sock 1/4 absorbed Discontinuous Sheen, Sock 1/4 absorbed
PL-2	6/23/2022	-	0.00	-	14.90	7.36	7.36	34.1	Discontinuous Sheen, replaced sock
PL-2		-	0.00	_	14.90	7.36	6.46	23.5	globules, sock 3/4 saturated, replaced sock
PL-2 -	4/7/2022	-	1.96	-	17.40	9.58	7.62	0.0	globales) sock sy i sataratea, replaced sock
PL-2	4/22/2022	-	2.05	-	17.39	9.58	7.53	0.0	
- 112	5/4/2022	-	2.11	-	16.86	9.58	7.47	0.0	
L	5/20/2022	-	2.09	-	17.40	9.58	7.49	0.0	
	6/2/2022	-	2.06	-	17.40	9.58	7.52	0.0	Discontinuous Characteristics
<del></del>	6/23/2022 4/7/2022	-	1.62 3.30	-	17.40 19.30	9.58 10.16	7.96 6.86	0.0	Discontinuous Sheen, placed sock
-	4/22/2022	-	3.67	-	19.30	10.16	6.49	0.0	
PL-3R	5/4/2022	-	3.40	-	19.30	10.16	6.76	0.0	
PL-3K	5/20/2022	-	3.21	-	19.10	10.16	6.95	0.0	
	6/2/2022	-	3.45	-	19.08	10.16	6.71	0.0	
	6/23/2022	-	3.28	-	19.09	10.16	6.88	0.0	
-	4/7/2022	-	4.16	-	13.00	11.56	7.40	0.0	
+	4/22/2022 5/4/2022	-	4.22 3.65	-	13.00 13.00	11.56 11.56	7.34 7.91	0.0	
PL-4RR	5/20/2022	-	3.55	-	13.00	11.56	8.01	0.0	
-	6/2/2022	-	3.5	-	13.00	11.56	8.06	0.0	
	6/23/2022	-	6.62		13.00	11.56	4.94	0.0	
Ţ	4/7/2022	-	NM	NM	9.80	6.54	NM	NM	Could not acess
-	4/22/2022	0.41	0.45	0.04	9.80	6.54	6.12	45.1	LNAPL present; Replaced Sock
PL-5R	5/4/2022 5/20/2022	-	1.68 0.61	-	9.80 9.80	6.54 6.54	4.86 5.93	120.0 13.5	globules, sock 3/4 saturated, replaced sock
-	6/2/2022	-	1.08	-	9.80	6.54	5.23	11.0	globules, sock 3/4 saturated, replaced sock
	6/23/2022	1.55	1.70	0.15	9.80	6.54	4.96	8.4	LNAPL present; Replaced Sock
	4/7/2022	-	0.10	-	15.10	6.88	6.78	0.0	
	4/22/2022	-	0.50	-	15.10	6.88	6.38	0.0	
PL-6RR	5/4/2022	-	0.93	-	15.20	6.88	5.95	0.0	
+	5/20/2022 6/2/2022	-	0.81 1.03	-	15.20 15.20	6.88 6.88	6.07 5.85	0.0	
-	6/23/2022	-	1.08	-	15.20	6.88	5.80	0.0	
	4/7/2022	-	7.72	-	15.01	8.41	0.69	0.0	
	4/22/2022	-	7.80	-	15.01	8.41	0.61	0.0	
PL-7R	5/4/2022	-	2.98	-	15.01	8.41	5.43	0.0	
-	5/20/2022 6/2/2022	-	2.23 2.83	-	15.01 15.01	8.41 8.41	6.18 5.58	0.0	
F	6/23/2022	-	4.77	-	15.01	8.41	3.64	0.0	
	4/7/2022	-	3.69	-	22.40	9.91	6.22	0.0	
[	4/22/2022	-	4.23	-	22.40	9.91	5.68	0.0	
PL-8R	5/4/2022	-	4.36	-	21.82	9.91	5.55	0.0	
-	5/20/2022	-	3.41	-	21.75	9.91	6.50	0.0	
-	6/2/2022	-	4.2	-	21.75	9.91	5.71	0.0	
	6/23/2022 4/7/2022	-	4.16 1.80	-	21.75 20.47	9.91 9.11	5.75 7.31	0.00	
-	4/22/2022	-	2.01	-	20.45	9.11	7.10	0.0	
PL-9R	5/4/2022	-	1.94	-	20.50	9.11	7.17	0.0	
PL-3K	5/20/2022	-	1.76	-	22.48	9.11	7.35	0.0	
-	6/2/2022	-	1.79	-	22.48	9.11	7.32	0.0	
	6/23/2022	-	1.94 2.09		22.48 12.10	9.11 8.60	7.17	0.0 12.1	
-	4/7/2022 4/22/2022	-	2.32	-	12.10	8.60	6.51 6.28	14.5	
T	5/4/2022	-	2.52	-	12.10	8.60	6.08	15.5	
TF-1	5/20/2022	-	2.10	-	12.10	8.60	6.50	16.2	
[	6/2/2022	-	2.50	-	12.10	8.60	6.10	12.2	
	6/23/2022	-	2.10		12.10	8.60	6.50	13.20	Globules, sock 1/4 saturated, replaced
-	4/7/2022 4/22/2022	-	1.40 1.45	-	11.60 11.60	7.50 7.50	6.10 6.05	67.4 123.1	Discontinuous Sheen, Sock 1/4 saturated, replaced Discontinuous Sheen, Sock 1/4 saturated, replaced
	5/4/2022	-	1.45	-	NM	7.50	5.79	53.2	Discontinuous Sheen, Sock 1/4 saturated, replaced  Discontinuous Sheen, Sock 1/4 saturated, replaced
TF-2	5/20/2022	-	1.23	-	11.60	7.50	6.27	67.1	Discontinuous Sheen, Sock 1/4 saturated, replaced
Ī	6/2/2022	-	1.67	-	11.60	7.50	5.83	33.3	Discontinuous Sheen, Sock 3/4 saturated, replaced
	6/23/2022	-	2.80	-	11.60	7.50	4.70	47.40	Discontinuous Sheen, Sock 1/4 saturated, replaced
-	4/7/2022 4/22/2022	-	2.30 2.24	-	11.97 11.95	8.58 8.58	6.28 6.34	0.0	
F	5/4/2022	-	2.24	-	12.00	8.58	6.43	0.0	
TF-3	5/20/2022	-	1.78	-	11.95	8.58	6.80	0.0	
Į	6/2/2022	-	2.01	-	11.95	8.58	6.57	0.0	
	6/23/2022	-	2.08	-	11.95	8.58	6.50	0.00	
-	4/7/2022	-	5.50	-	20.61	14.26	8.76	44.1	Sock 1/4 absorbed
-	4/22/2022 5/4/2022	-	5.67 5.46	-	20.70 20.55	14.26 14.26	8.59 8.80	52.3 23.2	Sock 1/4 absorbed Sock 1/4 absorbed
TM-6R	5/20/2022	-	5.22	-	20.55	14.26	9.04	40.6	Sock 1/4 absorbed
-	6/2/2022	-	5.3	-	20.70	14.26	8.96	25.9	Sock 1/4 absorbed
	6/23/2022	-	5.15		20.70	14.26	9.11	30.8	
	4/7/2022	-	6.87	-	21.98	14.81	7.94	66.1	Sock 1/4 absorbed
-	4/22/2022	-	7.11 7.10	-	21.98 21.98	14.81 14.81	7.70 7.71	72.2 44.4	Sock 1/4 absorbed Sock 1/4 absorbed
TM-7	5/4/2022 5/20/2022	-	6.75	-	21.98	14.81	7.71 8.06	98.1	Sock 1/4 absorbed Sock 1/4 absorbed
F	6/2/2022		7.00	-	21.98	14.81	7.81	103.4	Sock 1/4 absorbed
	6/23/2022	-	6.87		21.98	14.81	7.94	99.6	Sock 1/4 absorbed

						Groun	dwater Gauging	Data	
Well I.D.	Date	Depth to LNAPL (ft)	Depth to Water (ft)	LNAPL Thickness (ft)	DTB from TOC (ft)	TOC Elevation (ft amsl)	Groundwater Elevation (ft amsl)	PID	Notes
	4/7/2022	-	6.18	-	15.00	13.68	7.50	0.0	
ļ	4/22/2022	-	6.33	-	15.00	13.68	7.35	0.0	
TR-1R	5/4/2022 5/20/2022	-	6.09 5.79	-	15.00 14.98	13.68 13.68	7.59 7.89	0.0	
•	6/2/2022	-	5.97	-	14.98	13.68	7.71	0.0	
	6/23/2022	-	6.03	-	14.98	13.68	7.65	0.0	
	4/7/2022	-	NM		20.30	12.47	NM	NM	Could not access; underwater
	4/22/2022	-	NM		19.74	12.47	NM	NM	Could not access; underwater
TR-2R	5/4/2022	-	0.20	-	19.74	12.47	12.27	0.0	
	5/20/2022	-	NM NM	-	19.75 19.75	12.47 12.47	NM NM	NM NM	Could not access; underwater
•	6/2/2022 6/23/2022	-	0.00	-	19.75	12.47	12.47	0.0	Could not access; underwater
	4/7/2022	_	1.99	-	15.10	9.63	7.64	0.0	
ľ	4/22/2022	-	2.01	-	15.00	9.63	7.62	0.0	
TR-3RR	5/4/2022	-	2.30	-	14.90	9.63	7.33	0.0	
III-SIII	5/20/2022	-	1.28	-	15.00	9.63	8.35	0.0	
	6/2/2022	-	2.11	-	15.00	9.63	7.52	0.0	
	6/23/2022 4/7/2022	-	2.78 3.25		15.00 24.90	9.63 9.33	6.85 6.08	0.0 23.1	
•	4/7/2022	-	3.34	-	24.90	9.33	5.99	13.5	
•	5/4/2022	-	2.02	-	24.89	9.33	7.31	11.8	
TR-3D	5/20/2022	-	2.89	-	24.90	9.33	6.44	11.1	
	6/2/2022	-	1.98		24.90	9.33	7.35	3.4	
	6/23/2022	-	2.34		24.90	9.33	6.99	2.4	
	4/7/2022	-	1.86	-	60.00	9.59	7.73	0.0	
	4/22/2022 5/4/2022	-	2.00 3.31	-	59.20 60.20	9.59 9.59	7.59 6.28	0.0	
TR-3DD	5/20/2022	-	3.07	-	60.20	9.59	6.52	0.0	
•	6/2/2022	-	3.25	-	60.20	9.59	6.34	0.0	
ľ	6/23/2022	-	3.27		60.20	9.59	6.32	0.0	
	4/7/2022	-	NM	-	13.50	12.48	NM	NM	Could not access; underwater
	4/22/2022	-	NM	-	13.61	12.48	NM	NM	Could not access, underwater
TR-4R	5/4/2022	-	NM	-	13.61	12.48	NM	NM	Could not access, underwater
	5/20/2022 6/2/2022	-	NM NM	-	13.61 13.61	12.48 12.48	NM NM	NM NM	Could not access, underwater Could not access, underwater
•	6/23/2022	-	NM		13.61	12.48	NM	NM	Could not access, underwater  Could not access, underwater
	4/7/2022	-	NM	-	24.60	12.18	NM	NM	Could not access, underwater
	4/22/2022	-	NM	-	24.00	12.18	NM	NM	Could not access, underwater
TR-4D	5/4/2022	-	NM		24.00	12.18	NM	NM	Could not access, underwater
	5/20/2022	-	NM	-	24.00	12.18	NM	NM	Could not access, underwater
	6/2/2022 6/23/2022	-	NM NM	-	24.00 24.00	12.18 12.18	NM NM	NM NM	Could not access, underwater Could not access, underwater
	4/7/2022	-	NM	-	57.50	12.18	NM	NM	Could not access, underwater  Could not access, underwater
•	4/22/2022	-	NM	-	56.70	12.58	NM	NM	Could not access, underwater
TD 4DD	5/4/2022	-	NM	-	56.70	12.58	NM	NM	Could not access, underwater
TR-4DD	5/20/2022	-	NM		56.70	12.58	NM	NM	Could not access, underwater
	6/2/2022	-	NM	-	56.70	12.58	NM	NM	Could not access, underwater
	6/23/2022	-	NM		56.70	12.58	NM 8.40	NM 10.4	Could not access, underwater
	4/7/2022 4/22/2022	-	3.50 3.54	-	10.64 10.65	11.99 11.99	8.49 8.45	10.4 22.2	
•	5/4/2022	-	3.66	-	10.68	11.99	8.33	3.2	
TR-5	5/20/2022	-	4.00	-	10.68	11.99	7.99	10.1	
	6/2/2022	-	3.60	-	10.68	11.99	8.39	24.1	
	6/23/2022	-	3.56	-	10.68	11.99	8.43	17.1	
,	4/7/2022	-	4.94	-	23.40	12.01	7.07	0.0	
}	4/22/2022 5/4/2022	-	4.90 4.88	-	23.31 23.25	12.01 12.01	7.11 7.13	0.0	
TR-5D	5/20/2022	-	4.39		23.30	12.01	7.62	0.0	
	6/2/2022	-	4.54		23.30	12.01	7.47	0.0	
	6/23/2022	-	4.82		23.30	12.01	7.19	0.0	
	4/7/2022	-	4.69	-	60.00	11.64	6.95	0.0	
	4/22/2022	-	4.58	-	59.30	11.64	7.06	0.0	
TR-5DD	5/4/2022 5/20/2022	-	4.82 4.60	-	59.30 60.04	11.64 11.64	6.82 7.04	0.0	
ŀ	6/2/2022	-	4.60	-	60.04	11.64	7.14	0.0	
ŀ	6/23/2022	-	4.63		60.04	11.64	7.01	0.0	
	4/7/2022	-	3.50		12.60	10.78	7.28	0.0	
	4/22/2022	-	3.58		12.60	10.78	7.20	0.0	
TR-6	5/4/2022	-	3.57	-	13.00	10.78	7.21	0.0	
-	5/20/2022 6/2/2022	-	3.28 3.42	-	12.60 12.60	10.78 10.78	7.50 7.36	0.0	
ŀ	6/23/2022	-	3.42	-	12.60	10.78	6.87	0.0	
	4/7/2022	-	4.03	-	28.20	10.78	6.78	0.0	
ŀ	4/22/2022	-	4.06	-	28.20	10.81	6.75	0.0	
TR-6D	5/4/2022	-	3.97	-	29.30	10.81	6.84	0.0	
וא-סט	5/20/2022	-	3.60		28.20	10.81	7.21	0.0	
,	6/2/2022	-	3.87	-	28.20	10.81	6.94	0.0	
	6/23/2022	-	3.97		28.20	10.81	6.84	0.0	
	4/7/2022 4/22/2022	-	5.12 5.32	-	7.30 7.30	12.62 12.62	7.50 7.30	0.0	
	5/4/2022	-	5.32	-	7.30	12.62	7.30	0.0	
TR-Sump-1	5/20/2022	-	NM	-	7.30	12.62	NM	NM	Buckeye Construction
	6/2/2022	-	NM	-	7.30	12.62	NM	NM	Buckeye Construction
İ	6/23/2022	-	3.28		7.30	12.62	9.34	0.0	

						Groun	dwater Gauging	Data	
Well I.D.	Date	Depth to LNAPL (ft)	Depth to Water (ft)	LNAPL Thickness (ft)	DTB from TOC (ft)	TOC Elevation (ft amsl)	Groundwater Elevation (ft amsl)	PID	Notes
	4/7/2022 4/22/2022	-	5.01	-	7.20	12.35	7.34	0.0	
	5/4/2022	-	5.05 5.03	-	7.20 7.20	12.35 12.35	7.30 7.32	0.0	
TR-Sump-2	5/20/2022		NM	-	7.20	12.35	NM	NM	Buckeye Construction
	6/2/2022	-	NM	-	7.20	12.35	NM	NM	Buckeye Construction
	6/23/2022	-	4.98		7.20	12.35	7.37		
	4/7/2022	-	0.75	-	5.00	-	-		Intermittent sheen on top of water. No measurable product.
	4/22/2022	-	0.75	-	5.00	-	-		Intermittent sheen on top of water. No measurable product.
Interceptor	5/4/2022	-	0.75	-	5.00	-	-		Intermittent sheen on top of water. No measurable product.
Trench	5/20/2022	-	NM	-	5.00	-	-	NM	Buckeye Construction
	6/2/2022	-	0.75	-	5.00	-	-		Intermittent sheen on top of water. No measurable product.
	6/23/2022	-	2	-	5.00	-	-	0.0	Intermittent sheen on top of water. No measurable product.
	4/7/2022	-	3.60	-	-	1.08	2.52		
	4/22/2022 5/4/2022	-	3.60 4.00	-	-	1.08 1.08	2.52 2.92		
DB-SW	5/20/2022		4.25	-	-	1.08	3.17		
	6/2/2022	-	4.25	-	-	1.08	3.17		
	6/23/2022	-	7			1.08	5.92		
	4/7/2022	-	2.80	-	-	-0.31	3.11		
	4/22/2022	-	2.80	-	-	-0.31	3.11		
LN-SW	5/4/2022	-	2.80	-	-	-0.31	3.11		
2 3**	5/20/2022	-	2.80	-	-	-0.31	3.11		
	6/2/2022	-	2.80	-	-	-0.31	3.11		
	6/23/2022	-	2.8			-0.31	3.11		
	4/7/2022 4/22/2022	-	2.80 2.80	-	-	-0.20 -0.20	-		
	5/4/2022		2.80	-	-	-0.20	-		
L1-SW	5/20/2022	-	2.80	-		-0.20	-		
	6/2/2022	-	2.80	-	-	-0.20	-		
	6/23/2022	-	NM			-0.20	-		
	4/7/2022	-	NM	-	-	-0.98	-		Could not read - covered in dirt
	4/22/2022	-	NM		-	-0.98	-		Could not read - covered in dirt
SC-SG-1	5/4/2022	-	NM	-	-	-0.98	-		Could not read - covered in dirt
	5/20/2022	-	NM	-	-	-0.98	-		Could not read - covered in dirt
	6/2/2022		NM NM	-		-0.98			Could not read - covered in dirt
	6/23/2022 4/7/2022	-	NM	-	-	-0.98 -1.10	-		Could not read - covered in dirt  Stream Gauge destroyed
	4/22/2022	-	NM		-	-1.10	-		Stream Gauge destroyed  Stream Gauge destroyed
	5/4/2022	-	NM	-	-	-1.10	-		Stream Gauge destroyed
SC-SG-1A	5/20/2022	-	NM	-	-	-1.10	-		Stream Gauge destroyed
	6/2/2022	-	NM	-	-	-1.10	-		Stream Gauge destroyed
	6/23/2022	-	NM	-	-	-1.10	-		Stream Gauge destroyed
	4/7/2022	-	NM	-	-	-1.64	-		Stream Gauge destroyed
	4/22/2022	-	NM	-	-	-1.64	-		Stream Gauge destroyed
SC-SG-2	5/4/2022 5/20/2022	-	NM NM	-	-	-1.64 -1.64	-		Stream Gauge destroyed Stream Gauge destroyed
	6/2/2022	-	NM	-		-1.64	-		Stream Gauge destroyed  Stream Gauge destroyed
	6/23/2022	-	NM			-1.64	-		Stream Gauge destroyed
	4/7/2022	-	NM	-	12.25	9.67	NM	NM	Could not access; constuction
	4/22/2022	-	NM	-	12.05	9.67	NM	NM	Could not access; constuction
FA-1	5/4/2022	-	2.83	-	12.00	9.67	6.84	0.0	
17.1	5/20/2022	-	2.27	-	12.10	9.67	7.40	0.0	
	6/2/2022	-	2.70	-	12.10	9.67	6.97	0.0	
	6/23/2022 4/7/2022	-	2.96 3.17		12.10 13.60	9.67 10.39	6.71 7.22	0.0	
	4/22/2022		3.25	-	13.40	10.39	7.14	0.0	
	5/4/2022	-	3.79	-	13.40	10.39	6.60	0.0	
FA-2	5/20/2022	-	3.02	-	13.41	10.39	7.37	0.0	
	6/2/2022	-	3.53	-	13.41	10.39	6.86	0.0	
	6/23/2022	-	3.81		13.41	10.39	6.58	0.0	
	4/7/2022	-	8.75	-	14.60	10.84	2.09	11.7	Discontinuous Sheen, Sock 1/4 absorbed
	4/22/2022	- 0 21	8.77	- 0.01	14.50	10.84	2.07	2.6	Discontinuous Sheen, Sock 1/4 absorbed
FA-3	5/4/2022 5/20/2022	8.21	8.22 9.99	0.01	14.50 14.50	10.84 10.84	2.62 0.85	1.2 2.3	Replaced sock Discontinuous Sheen, Sock 1/4 absorbed
	6/2/2022	-	8.49	-	14.50	10.84	2.35	3.2	Sock fully saturated, replaced sock
	6/23/2022	-	8.44		14.50	10.84	2.40	1.8	Globules, sock 1/4 saturated, replaced
	4/7/2022	-	9.00	-	14.50	10.98	1.98	0.0	,,,,,,,
	4/22/2022	-	9.04	-	14.50	10.98	1.94	0.0	
FA-4	5/4/2022	-	8.74	-	14.40	10.98	2.24	0.0	
	5/20/2022	-	10.40	-	14.97	10.98	0.58	0.0	
	6/2/2022	-	8.80	-	14.90	10.98	2.18	0.0	
	6/23/2022	- 6.21	8.7 6.24	0.03	14.90	10.98 10.22	2.28	0.0	Sock 1/2 saturated, replaced
	4/7/2022 4/22/2022	6.21 6.32	6.24 6.34	0.03	14.50 14.50	10.22	3.98 3.88	0.0	Sock 1/2 saturated, replaced Sock 1/2 saturated, replaced
	5/4/2022	5.68	5.75	0.02	14.50	10.22	4.47	0.0	Sock 1/2 Saturated, replaced  Sock 3/4 saturated, replaced
FA-5	5/20/2022	6.84	6.85	0.07	14.50	10.22	3.37	0.0	Sock 1/2 saturated, replaced
	6/2/2022	5.6	5.63	0.01	14.50	10.22	4.59	0.0	Sock 3/4 saturated, replaced
	6/23/2022	-	NM		14.50	10.22	NM	0.0	Construction in area
	4/7/2022	-	8.89	-	18.20	12.13	3.24	0.0	
	4/22/2022	-	9.01	-	18.20	12.13	3.12	0.0	
FA-6	5/4/2022	-	9.82	-	18.10	12.13	2.31	0.0	
*	5/20/2022	-	8.55	-	18.10	12.13	3.58	0.0	
	6/2/2022	-	9.92	-	18.10	12.13 12.13	2.21	0.0	
	6/23/2022		9.98		18.10	12.13	2.15	0.0	

						Groun	dwater Gauging	Data	
Well I.D.	Date	Depth to LNAPL (ft)	Depth to Water (ft)	LNAPL Thickness (ft)	DTB from TOC (ft)	TOC Elevation (ft amsl)	Groundwater Elevation (ft amsl)	PID	Notes
	4/7/2022	-	9.04	-	18.15	10.14	1.10	0.0	
	4/22/2022	-	9.13	-	18.00	10.14	1.01	0.0	
FA-7	5/4/2022	-	8.99	-	18.00	10.14	1.15	0.0	
	5/20/2022	-	8.54	-	18.15	10.14	1.60	0.0	
	6/2/2022	-	8.99	-	18.15	10.14	1.15	0.0	
	6/23/2022	-	9.05	-	18.15	10.14	1.09	0.0	
	4/7/2022	-	NM	-	15.00	11.33	NM	NM	Could not access
	4/22/2022	-	9.11	-	15.00	11.33	2.22	0.0	
FA-14	5/4/2022	-	8.01	-	15.00	11.33	3.32	0.0	
FA-14	5/20/2022	-	7.65	-	15.00	11.33	3.68	0.0	
	6/2/2022	-	8.00	-	15.00	11.33	3.33	0.0	
	6/23/2022	-	NM	-	15.00	11.33	NM	NM	
	4/7/2022	-	NM	-	NM	11.29	NM	NM	Could not access
	4/22/2022	-	8.95	-	NM	11.29	2.34	0.0	
FA-15	5/4/2022	-	8.90	-	15.00	11.29	2.39	0.0	
FA-15	5/20/2022	-	8.75	-	15.00	11.29	2.54	0.0	
	6/2/2022	-	8.73	-	15.00	11.29	2.56	0.0	
	6/23/2022	-	NM	-	15.00	11.29	NM	0.0	_

WELL I.D.	Date	Depth to LNAPL (ft)	Depth to Water (ft)	LNAPL Thickness (ft)	DTB Original (ft)	DTB from TOC (ft)		Water Elevation (ft)	LNAPL Corrected Water Level (p = 0.82)	PID	Notes
AB-1	5/20/2022		3.94	-	13.00	12.60	11.68	7.74		0.0	
AB-3	5/20/2022		3.63		13.00	13.30	12.33	8.70		0.0	
AB-4R	5/20/2022		3.35		15.50	16.00	12.05	8.70		0.0	
AB-4D	5/20/2022		9.99		33.00	34.00	11.81	1.82		0.0	
AB-5	5/20/2022		3.23		13.00	13.50	11.18	7.95		0.0	
AB-6 AD-1	5/20/2022		2.30 1.00	-	10.50 13.00	9.90	6.95 16.12	4.65 15.12		0.0	
AD-1	5/20/2022		6.51		18.00	16.85	16.12	10.13		372.2	
AD-2DD	5/20/2022		7.03	_	45.00	44.98	16.27	9.24		125.8	
AD-3	5/20/2022		6.54		14.00	13.85	19.96	13.42		6.2	
AD-3D	5/20/2022	_	9.08	_	29.00	29.00	19.71	10.63	_	2.9	
AD-4	5/20/2022		5.89		15.00	14.84	15.45	9.56		0.0	
AD-5	5/20/2022	_	5.41	-	15.00	14.53	15.59	10.18		12.2	
AD-5D	5/20/2022		7.39		30.00	29.82	15.48	8.09		57.6	
AD-6	5/20/2022	_	5.65	-	15.00	14.41	17.13	11.48		0.0	
AD-8	5/20/2022		6.59	-	15.00	15.50	15.85	9.26		0.0	
AD-9D	5/20/2022		5.75		28.00	26.81	15.50	9.75		15.6	
AD-9DD	5/20/2022	-	5.70	-	60.00	58.50	15.43	9.73		0.0	
AD-10	5/20/2022	-	8.00	-	20.00	19.42	16.05	8.05	-	104.2	
AD-10DD	5/20/2022		8.39	-	64.00	64.70	16.14	7.75		0.0	
DPP-1	5/20/2022		5.68	-	15.00	15.00	7.90	2.22		0.0	
FA-1	5/20/2022		2.27		13.00	12.10	10.02	7.75		0.0	
FA-2	5/20/2022		3.02		14.00	13.41	10.76	7.74		0.0	
FA-3	5/20/2022	-	9.99	-	15.00	14.50	11.28	1.29	-	0.0	changed sock, fully saturated
FA-4	5/20/2022		10.40		15.00	14.97	11.39	0.99		0.0	ah ay ya da a a la falla a ah ya ha d
FA-5	5/20/2022	6.84	6.85	0.01	15.00	14.94	10.53	3.68	3.69	0.0	changed sock, fully saturated
FA-6 FA-7	5/20/2022 5/20/2022		8.55 8.54		15.00 18.00	18.30 18.10	12.46 10.94	3.91 2.40		0.0	
FA-8	5/20/2022		10.28		20.00	20.00	11.49	1.21		0.0	
FA-9	5/20/2022		8.60	_	20.00	20.00	9.73	1.13		0.0	
FA-10	5/20/2022		7.66		20.00	20.00	9.73	2.07		0.0	
FA-11	5/20/2022		5.65	_	20.00	20.00	8.28	2.63		0.0	
FA-12	5/20/2022		8.91		20.00	20.00	12.26	3.35		0.0	
FA-13	5/20/2022	-	10.38		20.00	20.00	13.14	2.76		0.0	
FA-14	5/20/2022		7.65		20.00	20.00	11.33	3.68		0.0	
FA-15	5/20/2022		8.75		20.00	20.00	11.29	2.54		0.0	
FA-16	5/20/2022	-	2.05	-	20.00	20.00	9.52	7.47		0.0	
FA-17	5/20/2022		0.75		20.00	20.00	8.83	8.08		0.0	
FA-18	5/20/2022		3.80		20.00	20.00	10.76	6.96		0.0	
FA-19	5/20/2022		10.11		20.00	20.00	12.26	2.15		0.0	
FA-20	5/20/2022		10.27	-	20.00	20.00	8.04	-2.23	-	0.0	
FA-21	5/20/2022		9.25		20.00	20.00	11.14	1.89		0.0	
LPG-1	5/20/2022		2.03		9.00	7.99	11.60	9.57		0.0	
LPG-2	5/20/2022		1.96	-	10.00	9.62	7.05	5.09		0.0	
MRVU-1	5/20/2022	-	5.63		20.00	20.00	8.89	3.26		0.0	
PER-1 PER-2	5/20/2022 5/20/2022		9.29		18.00 12.00	17.75 12.40	17.18 10.76	7.89 7.06		0.0	
PER-2D	5/20/2022		3.88		33.00	33.10	11.30	7.42		0.0	
PER-2DD	5/20/2022	-	5.01		63.00	63.75	10.53	5.52		0.0	
PER-3	5/20/2022		3.72	_	12.16	12.17	7.32	3.60		0.0	
PER-3D	5/20/2022	-	5.54		33.00	33.00	7.30	1.76		0.0	
PER-4	5/20/2022		5.85	-	15.00	15.50	11.08	5.23		0.0	
PER-5	5/20/2022	-	3.89		15.00	14.12	18.62	14.73		0.0	
PER-6R	5/20/2022		2.11		22.00	21.65	21.54	19.43		0.0	
PER-7	5/20/2022		5.85		18.00	15.65	8.94	3.09		0.0	
PER-8	5/20/2022		5.31	1	15.00	14.32	7.74	2.43	-	0.0	
PER-9	5/20/2022		2.71		17.50	17.50	8.02	NA		0.0	
PER-9D	5/20/2022		5.32		37.50	37.50	7.85	NA		0.0	
PER-9DD	5/20/2022		5.11		68.50	68.50	7.91	NA		0.0	
PER-10	5/20/2022		5.92		19.00	19.00	12.19	6.27		0.0	
PER-10D	5/20/2022		10.13		33.00	33.50	11.94	1.81		0.0	

PL-1RR	5/20/2022		1.07		15.00	15.00	7.36	6.29	 0.0	Replaced Sock
PL-2	5/20/2022		2.09		17.00	17.40	9.58	7.49	 0.0	
PL-3R	5/20/2022		3.21		22.50	19.10	10.16	6.95	 0.0	
PL-4RR	5/20/2022		3.55		13.00	13.00	11.56	8.01	 0.0	
PL-5R	5/20/2022		0.61		9.80	9.80	6.54	5.93	 0.0	replaced sock, sheen
PL-6RR	5/20/2022		0.81		15.00	15.20	6.88	6.07	 0.0	
PL-7R	5/20/2022		2.23		20.00	20.00	8.41	6.18	 0.0	
PL-8R	5/20/2022		3.41		22.50	21.75	9.91	6.50	 0.0	<u> </u>
PL-9R	5/20/2022		1.76		22.50	22.48	9.11	7.35	 0.0	
SG-1	5/20/2022		2.44		15.00	15.00	9.20	6.76	 0.0	
SG-2	5/20/2022		2.53		15.00	15.00	8.70	6.17	 0.0	
SG-3	5/20/2022		NM		15.00	15.00	8.77	NM	0.0	underwater
									 	underwater
SG-4	5/20/2022		1.99		15.00	15.00	8.77	6.78	 0.0	
SM-1	5/20/2022		3.82	-	15.00	13.65	8.59	4.77	 0.0	
SM-1D	5/20/2022		6.91		35.00	35.00	9.59	2.68	 0.0	
SP-1	5/20/2022		4.50		13.00	11.75	8.95	4.45	 0.0	
SP-2	5/20/2022		3.41		13.00	14.00	10.18	6.77	 0.0	
SP-3	5/20/2022		2.25		13.00	13.10	9.33	7.08	 0.0	
SRB-1	5/20/2022		5.63		15.00	15.00	7.55	1.92	 0.0	
TF-1	5/20/2022		2.10		12.00	12.00	8.60	6.50	 0.0	
TF-1D	5/20/2022		4.66		35.00	35.00	6.64	1.98	 0.0	
TF-2	5/20/2022		1.23		12.00	12.00	7.69	6.46	 0.0	Replaced Sock, sheen
TF-3	5/20/2022	_	1.78	-	12.00	11.76	8.58	6.80	 0.0	
TF-4	5/20/2022		0.00		13.00	13.00	6.34	6.34	 0.0	
TF-4D	5/20/2022		4.54		35.00	35.00	6.29	1.75	 0.0	
TF-5	5/20/2022		1.79		13.00	13.00	8.13	6.34	 0.0	
TF-6	5/20/2022		0.30	-	13.00	13.00	6.80	6.50	 0.0	
TL-1	5/20/2022		5.88		14.00	14.30	8.81	2.93	 0.0	
TL-2	5/20/2022		5.61		15.00	12.65	8.48	2.87	 0.0	
TL-3	5/20/2022		5.96		10.00	9.90	8.68	2.72	 0.0	
TL-4	5/20/2022		5.49		15.00	15.00	7.56	2.07	 0.0	
TL-5	5/20/2022		6.24		15.00	15.00	8.19	1.95	 0.0	
TM-1	5/20/2022		9.29		20.50	21.50	20.06	10.77	 0.0	
TM-2	5/20/2022		9.95		21.00	21.50	20.14	10.19	 0.0	
TM-3	5/20/2022		9.86		20.50	20.95	20.19	10.33	 0.0	
TM-4	5/20/2022		8.63		18.50	15.20	19.01	10.33	 0.0	
TM-5	5/20/2022				20.50				0.0	
			7.85			23.00	16.13	8.28		
TM-6R	5/20/2022		5.22		20.00	20.70	14.26	9.04	 0.0	
TM-7	5/20/2022		6.75		22.00	21.98	14.81	8.06	 0.0	
TM-8	5/20/2022		5.06		20.00	20.00	15.44	10.38	 0.0	
TR-1R	5/20/2022	-	5.79	-	16.00	14.98	13.68	7.89	 0.0	
TR-2R	5/20/2022		NM		20.00	19.75	12.47		 0.0	underwater
TR-3RR	5/20/2022		1.28	-	15.00	14.80	9.63	8.35	 0.0	
TR-3D	5/20/2022		2.89		25.00	24.90	9.33	6.44	 0.0	
TR-3DD	5/20/2022		3.07		60.00	60.00	4.15	1.08	 0.0	
TR-4R	5/20/2022		NM		15.00	13.61	12.18		 0.0	underwater
TR-4D	5/20/2022		NM		25.00	24.56	12.48		 0.0	underwater
TR-4DD	5/20/2022		NM		56.00	56.70	12.58		 0.0	underwater
TR-5	5/20/2022		4.00		12.00	10.68	11.99	7.99	 0.0	
TR-5D	5/20/2022		4.39		25.00	23.20	11.57	7.18	 0.0	
TR-5DD	5/20/2022	-	4.60	-	60.00	59.30	11.28	6.68	 0.0	
TR-6	5/20/2022		3.28		12.50	12.60	10.78	7.50	 0.0	
TR-6D	5/20/2022		3.60		28.30	28.20	10.81	7.21	 0.0	
TR-7	5/20/2022		4.15		15.00	15.00	12.44	8.29	 0.0	
TR-7D	5/20/2022		4.38		35.00	35.00	12.47	8.09	 0.0	
TR-8	5/20/2022		2.03		18.00	18.00	8.86	6.83	 0.0	<u> </u>
TR-8D	5/20/2022		2.40		30.00	30.00	8.73	6.33	 0.0	
TR-8DD	5/20/2022		3.49		60.00	60.00	9.04	5.55	 0.0	
DB-SW	5/20/2022		4.25					5.33	0.0	
							1.08			
L1-SW	5/20/2022		2.80	-			-0.2	2.60	 0.0	
LN-SW	5/20/2022		2.80	-		7.00	-0.31	2.49	 0.0	
TR-SUMP-1	5/20/2022		NM			7.30	12.62		 0.0	Buckeye construction
TR-SUMP-2	5/20/2022		NM			7.20	12.35		 0.0	Buckeye construction
MW-1	5/20/2022		5.82		13.00	16.35	24.48	18.66	 0.0	

# Table 2 Semi Annual Sitewide Gauging Former Port Reading Complex 750 Cliff Road Port Reading, Middlesex County, New Jersey

		1							Т		T
MW-2	5/20/2022		0.75		13.00	12.70	19.01	18.26		0.0	
MW-3	5/20/2022	-	0.25		13.00	12.98	18.91	18.66		0.0	
MW-4	5/20/2022	-	4.79		15.00	18.00	24.07	19.28		0.0	
LN-1	5/20/2022		4.44		16.00	14.50	10.37	5.93		0.0	
LN-2	5/20/2022		5.42		13.00	11.40	9.65	4.23		0.0	
LN-3	5/20/2022		4.91		11.30	11.95	8.92	4.01		0.0	
LN-4	5/20/2022		7.09		14.00	14.40	10.69	3.60		0.0	
LN-5	5/20/2022		6.52		15.00	17.00	10.57	4.05		0.0	
LN-6	5/20/2022		8.08		15.00	17.10	12.15	4.07		0.0	
LN-7	5/20/2022		8.49		15.00	17.12	13.3	4.81		0.0	
LS-1R	5/20/2022		2.6		16.00	16.40	12.25	9.65		0.0	
LS-2	5/20/2022	-	1.97		12.01	12.65	9.75	7.78		0.0	
LS-3	5/20/2022		3.07		12.00	11.90	8.4	5.33		0.0	
LS-4	5/20/2022		1.36		14.00	13.80	9.28	7.92		0.0	
L1-1	5/20/2022	-	3.95		15.00	13.40	9.91	5.96		0.0	
L1-2	5/20/2022		8.81		14.00	14.00	9.05	0.24		0.0	
L1-3	5/20/2022		6.02		9.40	10.90	9.33	3.31		0.0	
L1-3	5/20/2022		7.02		9.00	11.00	10.85	3.83		0.0	
BG-2	5/20/2022				9.00					0.0	
		-	2.80			8.91	6.96	4.16			
BG-3	5/20/2022		2.79		10.00	10.91	10.31	7.52		0.0	
DT-1D	5/20/2022	-	3.43		35.00	35.00	NM 0.07	NA 0.00		0.0	
DT-3	5/20/2022	-	3.25		18.00	18.00	9.87	6.62		0.0	
DT-3D	5/20/2022		3.52		35.00	35.00	9.90	6.38		0.0	
DT-5	5/20/2022		1.68		14.50	14.50	7.78	6.10		0.0	
DT-5D	5/20/2022		1.85		30.50	30.50	7.76	5.91		0.0	
DT-5DD	5/20/2022		2.38		55.00	55.00	7.55	5.17		0.0	
DT-6	5/20/2022		1.85		18.00	18.00	8.45	6.60		0.0	
2TF-1	5/20/2022		5.11		20.00	20.00	11.24	6.13		0.0	
2TF-2	5/20/2022		4.60		15.00	15.00	10.56	5.96		0.0	
2TF-3	5/20/2022		4.98		15.00	15.00	11.00	6.02		0.0	
2TF-4	5/20/2022		2.44		18.00	18.00	8.73	6.29		0.0	
2TF-5	5/20/2022		0.15		15.00	15.00	8.76	8.61		0.0	
2TF-6	5/20/2022		1.66		15.00	15.00	8.65	6.99		0.0	
3TF-1	5/20/2022		6.40		15.00	15.00	9.42	3.02		0.0	
3TF-1D	5/20/2022	-	7.37	-	35.00	35.00	9.40	2.03		0.0	
3TF-2	5/20/2022		8.71		15.00	15.00	12.58	3.87		0.0	
3TF-3	5/20/2022		8.50		20.00	20.00	7.31	-1.19		0.0	
RTF-1	5/20/2022	5.83	5.98	0.15	15.00	15.00	8.75	2.77	2.92	0.0	
RTF-2	5/20/2022		6.12		15.00	15.00	9.06	2.94		0.0	
RTF-3	5/20/2022		7.07		15.00	15.00	9.15	2.08		0.0	
RTF-4	5/20/2022		5.70		15.00	15.00	8.96	3.26		0.0	
RTF-5	5/20/2022		6.07		15.00	15.00	9.72	3.65		0.0	
RTF-6	5/20/2022	-	6.89		15.00	15.00	12.64	5.75		0.0	
SC-1	NA		NM		15.00	15.40	4.74	NM		NM	No access
SC-1D	NA NA		NM		30.00	33.60	4.95	NM		NM	No access
SC-1DD	NA NA		NM		60.00	60.00	5.07	NM		NM	No access
SC-1DD	NA NA	-	NM		15.00	15.80	4.89	NM		NM	No access
SC-2D	NA NA		NM			34.50		NM			
SC-2DD SC-2DD			NM NM		35.00 60.00		4.68			NM NM	No access
	NA NA					62.00	4.69	NM			No access
SC-2DDD	NA	-	NM		78.00	78.90	4.54	NM		NM	No access
SC-3	NA	-	NM		14.00	17.58	7.03	NM		NM	No access
SC-3D	NA		NM		35.00	39.00	6.42	NM		NM	No access
SC-3DD	NA		NM		65.00	68.05	6.74	NM		NM	No access
SC-3DDD	NA	-	NM		81.00	84.04	6.84	NM		NM	No access
SC-4	NA		NM		15.00	15.20	7.11	NM		NM	No access
SC-4D	NA	-	NM		35.00	34.70	7.08	NM		NM	No access
SC-4DD	NA		NM		60.00	59.90	6.92	NM		NM	No access
SC-SG-1	NA		NM				-0.98	NM		NM	Could not read - covered in dirt
SC-SG-1A	NA		NM		-		-1.10	NM		NM	Stream Gauge destroyed
SC-SG-2	NA		NM				-1.64	NM		NM	Stream Gauge destroyed
		•	•					•	•		

-- Not Applicable

DTB - Depth to Bottom

LNAPL - Light Non-Aqueous Phase Liquids

\* All Measurements are in feet

TOC - Top of Casing

NM - Not Measured

Table 3
Quarterly Landfarms Monitoring Well Gauging Data
Hess Corporation - Former Port Reading Complex
750 Cliff Road
Port Reading, Middlesex County, New Jersey

		Groui	ndwater Gauging	g Data		
Well I.D.	Date	Depth to Water	DTB from TOC	TOC Elevation	Water Elevation	PID
LN-SW	4/14/2022	2.80	NA	-0.31	3.11	NA
LN-1	4/14/2022	4.67	14.86	10.37	5.70	0.0
LN-2	4/14/2022	5.58	12.00	9.65	4.07	0.0
LN-3	4/14/2022	5.04	13.12	8.92	3.88	0.0
LN-4	4/14/2022	7.29	15.20	10.69	3.40	0.0
LN-5	4/14/2022	6.68	17.55	10.57	3.89	0.0
LN-6	4/14/2022	8.24	17.80	12.15	3.91	0.0
LN-7	4/14/2022	8.64	17.90	13.30	4.66	0.0
PER-4	4/14/2022	6.45	16.45	10.30	3.85	0.0
LPG-2	4/14/2022	NA	9.60	7.05	NA	0.0
DB-SW	4/14/2022	7.80	NA	-0.11	7.91	NA
LS-1R	4/14/2022	2.84	15.75	12.25	9.41	0.0
LS-2	4/14/2022	2.23	12.00	9.75	7.52	0.0
LS-3	4/14/2022	0.60	12.60	8.40	7.80	1.1
LS-4	4/14/2022	1.34	13.13	9.28	7.94	4.5
TM-6R	4/14/2022	4.83	19.80	14.26	9.43	84.1
PL-1RR	4/14/2022	0.00	14.70	7.36	7.36	12.6
PL-3R	4/14/2022	3.25	18.80	10.16	6.91	0.0
PL-6RR	4/14/2022	0.99	15.00	6.88	5.89	0.0
PL-9R	4/14/2022	1.73	19.90	9.11	7.38	0.0
L1-SW	4/14/2022	NA	NA	-0.20	NA	NA
L1-1	4/14/2022	4.54	NM	9.91	5.37	0.0
L1-2	4/14/2022	6.05	14.90	9.05	3.00	0.0
L1-3	4/14/2022	6.44	10.90	9.33	2.89	0.0
L1-4	4/14/2022	7.75	10.95	10.85	3.10	0.0
BG-2	4/14/2022	2.03	9.20	6.96	4.93	0.0
BG-3	4/14/2022	3.57	10.70	10.31	6.74	0.0
SP-1	4/14/2022	5.18	NM	8.95	3.77	0.0
SP-2	4/14/2022	4.27	NM	10.18	5.91	0.0
SP-3	4/14/2022	2.49	16.90	9.33	6.84	0.0

\*Anomalous measurement/not used in contour figur LNAPL - Light non Aqueous Phase Liquids

NA - Not Applicable DTB - Depth to Bottom


All Measurements are in feet TOC - Top of Casing NM - Not Measured

Second Quarter				2015						2016		
	April	RIM Actions	May	RIM Actions	June	RIM Actions	April	RIM Actions	May	RIM Actions	June	RIM Actions
FA-3	NI	NA										
FA-5	NI	NA										
PL-1RR	NM	NA	Sheen	NA								
PL-2	0.01	Sock deployed	0.01	Sock deployed	0.05	Sock deployed	0.00	NA	Sheen	NA	0.00	NA
PL-5/PL-5R	NA	NA	0.02	Sock deployed	0.01	NA	NA	NA	0.00	NA	NA	NA
PL-9R	NA	NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA	NA	NA
TF-1	0.01	Sock deployed	0.01	Sock deployed	0.01	Sock deployed	0.00	NA	0.00	NA	0.00	NA
TF-2	0.01	Sock deployed	0.02	Sock deployed	0.01	Sock deployed	0.60	Sock deployed	0.60	Sock deployed	0.58	Sock deployed
TM-6R	0.00	NA	Sheen	NA	Sheen	NA	0.00	NA	0.00	NA	0.00	NA
TM-7	Sheen	NA	0.01	Sock deployed	0.01	Sock deployed	<0.1	Sock deployed	<0.1	Sock deployed	0.05	Sock deployed
TR-2R	Sheen	NA	Sheen	NA	0.01	Sock deployed	0.07	Sock deployed	0.08	Sock deployed	0.07	Sock deployed
TR-4R	NM	NA	0.00	NA	0.00	NA	Sheen	NA	NM	NA	0.00	NA
TR-5	0.00	NA										
TR-6	0.00	NA										
TR-6D	0.00	NA										
TR-Sump-3	0.00	NA	0.00	NA	0.30	Sock deployed	0.00	NA	0.00	NA	0.00	NA
Interceptor Trench	NM	NA										

Second Quarter				2017					2018		
	April	RIM Actions	May	RIM Actions	June	RIM Actions	April	RIM Actions	May RIM Actions	June	RIM Actions
FA-3	NI	NA	NI	NA	NI	NA	NI	NA	NI NA	NI	NA
FA-5	NI	NA	NI	NA	NI	NA	NI	NA	NI NA	NI	NA
PL-1RR	0.00	NA	Sheen	NA	0.01	Sock deployed	Sheen	NA	0.01 Sock deployed	0.01	Sock deployed
PL-2	Sheen	NA	Sheen	NA	Sheen	NA	Sheen	NA	0.00 NA	NM	NA
PL-5/PL-5R	0.00	NA	0.00	NA	NM	NA	1.00	Sock deployed	0.00 NA	0.17	Sock deployed
PL-9R	0.00	NA	0.00	NA	NM	NA	Sheen	NA	0.00 NA	0.00	NA
TF-1	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00 NA	NM	NA
TF-2	0.01	Sock deployed	0.01	NA	0.01	Sock deployed	0.01	Sock deployed	1.83 Sock deployed	0.02	Sock deployed
TM-6R	0.00	NA	0.00	NA	0.00	NA	Sheen	NA	0.00 NA	0.00	NA
TM-7	0.00	NA	Sheen	NA	Sheen	NA	0.02	Sock deployed	0.00 NA	NM	NA
TR-2R	0.00	NA	NM	NA	0.00	NA	NM	NA	NM NA	NM	NA
TR-4R	0.00	NA	NM	NA	0.00	NA	NM	NA	NM NA	NM	NA
TR-5	Sheen	NA	Sheen	NA	0.00	NA	0.00	NA	0.00 NA	0.00	NA
TR-6	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00 NA	NM	NA
TR-6D	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00 NA	NM	NA
TR-Sump-3	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00 NA	0.00	NA
Interceptor Trench	0.12	1540 Gallons Removed	NM	2666 Gallons Removed	0.5	761 Gallons Removed	0.05	NA	NM 55 Gallons Removed	NM	NA

Second Quarter				2019						2020		
	April	RIM Actions	May	RIM Actions	June	RIM Actions	April	RIM Actions	May	RIM Actions	June	RIM Actions
FA-3	NI	NA	NI	NA	NI	NA	NM	NA	0.00	NA	0.00	NA
FA-5	NI	NA	NI	NA	NI	NA	NM	NA	Globules	Sock deployed	Globules	Sock deployed
PL-1RR	Sheen	NA	Sheen	NA	Sheen	NA	Sheen	Sock deployed	Sheen	Sock deployed	Sheen	Sock deployed
PL-2	0.00	NA	0.00	NA	0.00	NA	0.00	NA	Globules	Sock deployed	0.00	NA
PL-5/PL-5R	Globules	Sock deployed	Globules	Sock deployed	Globules	Sock Deployed	Sheen	Sock deployed	Sheen	Sock deployed	0.20	Sock deployed
PL-9R	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA
TF-1	0.00	NA	0.00	NA	0.00	NA	0.00	NA	Globules	Sock deployed	NM	NA
TF-2	0.00	NA	0.00	NA	0.00	NA	Sheen	NA	0.00	Sock deployed	NM	NA
TM-6R	0.00	NA	0.00	NA	0.00	NA	0.00	NA	Sheen	Sock deployed	0.00	NA
TM-7	0.00	NA	0.00	NA	NM	NA	Sheen	Sock deployed	Globules	Sock deployed	Sheen	Sock deployed
TR-2R	0.00	NA	0.00	NA	NM	NA	Sheen	NA	Sheen	Sock deployed	Globules	Sock deployed
TR-4R	0.00	NA	NM	NA	NM	NA	NM	NA	0.00	NA	0.00	0.00
TR-5	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA
TR-6	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	0.00
TR-6D	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	0.00
TR-Sump-3	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA	0.00	0.00
Interceptor Trench	0.05	229 Gallons Removed	Indeterminable	100 Gallons Removed	0.03	393 Gallons Removed	0.35	NA	1.6	150 Gallons Removed from Interceptor Trench	NM	NA

Second Quarter				2021						2022		
	April	RIM Actions	May	RIM Actions	June	RIM Actions	April	RIM Actions	May	RIM Actions	June	RIM Actions
FA-3	Discontinuous LNAPL/Discontinuous LNAPL	Sock deployed/Sock deployed	Discontinuous LNAPL/Discontinuous LNAPL	Sock deployed/Sock deployed	Discontinuous LNAPL	Placed Product Bailer	Sheen	Sock deployed	0.01	Sock deployed	0.00	NA
FA-5	Discontinuous Sheen/Discontinuous Sheen	Placed Product Bailer/Placed Product Bailer	Discontinuous Sheen/Discontinuous Sheen	Placed Product Bailer/Placed Product Bailer	Discontinuous LNAPL	Placed Product Bailer	0.03	Sock deployed	0.07	Sock deployed	0.03	Sock deployed
PL-1RR	Sheen/Sheen	Sock deployed/Sock deployed	Sheen/Sheen	Sock deployed/Sock deployed	Sheen	Sock deployed	Sheen	Sock deployed	Sheen	Sock deployed	Sheen	Sock deployed
PL-2	0.00/0.00	NA/NA	0.00/0.00	NA/NA	0.00	NA	0.00	NA	0.00	NA	Sheen	Sock deployed
PL-5/PL-5R	Discontinuous LNAPL/Sheen	Sock deployed/Sock deployed	Discontinuous LNAPL/Sheen	Sock deployed/Vacced Out	Discontinuous LNAPL	Sock deployed	0.04	Sock deployed	Sheen	Sock deployed	0.15	Sock deployed
PL-9R	0.00/0.00	NA/NA	0.00/0.00	NA/NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA
TF-1	Discontinuous Sheen/0.00	Sock deployed/NA	0.00/NM	NA/NA	NM	NA	0.00	NA	0.00	NA	0.00	NA
TF-2	Discontinuous Sheen/Discontinuous Sheen	Sock deployed/Sock deployed	Discontinuous Sheen/NM	Sock deployed/NA	Discontinuous Sheen	Sock deployed	Sheen	Sock deployed	Sheen	Sock deployed	Sheen	Sock deployed
TM-6R	0.00/0.00	NA/NA	0.00/0.00	NA/NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA
TM-7	Sheen/0.00	Sock deployed/NA	0.00/0.00	NA/NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA
TR-2R	Discontinuous Sheen/0.00	Sock deployed/NA	NM/Sheen	NA/Sock deployed	NM	NA	0.00	NA	0.00	NA	0.00	NA
TR-4R	0.00/0.00	NA/NA	NM/0.00	NA/NA	0.00	NA	nm	NA	nm	NA	NM	0.00
TR-5	0.00/0.00	NA/NA	0.00/0.00	NA/NA	0.00	NA	0.00	NA	0.00	NA	0.00	NA
TR-6	0.00/0.00	NA/NA	0.00/0.00	NA/NA	0.00	NA	0.00	NA	0.00	NA	0.00	0.00
TR-6D	0.00/0.00	NA/NA	0.00/0.00	NA/NA	0.00	NA	0.00	NA	0.00	NA	0.00	0.00
TR-Sump-3	0.00/0.00	NA/NA	0.00/0.00	NA/NA	0.00	NA	0.00	NA	0.00	NA	0.00	0.00
Interceptor Trench	Discontinuous LNAPL/Discontinuous LNAPL	NA/NA	Discontinuous LNAPL/Discontinuous LNAPL	323 Gallons Removed from Interceptor Trench and PL-5R	Discontinuous LNAPL	1456 Gallons Removed from Interceptor Trench and Sump	Sheen	NA	Sheen	NA	Sheen	NA



Route:	- WAR	Vehicle No.	7	SCAC	Emergency Phone Nur			
No Shipping +HM Ki Units	nd of Packaging, Description of A Special Marks and Exception	stowing must be so marked	and packaged as to	ere or attention in handling or ensure safe transportation with r Freight Classification, Item 360.	Weight (Subject to R Correction)*	ate or Class	CHARGES	
711/01/1	f:							
JAF VIOLVE		×3					V V	
349	LETVOLEDA	( DISTAY)		1 1050	(D.C.	1.00		
	11000	TO	CM	MINGE	CTIVI			
-	V *		7,2	- 77 - 24				
	-	194 HOL	1 100	ST FCK				
		VESCITY	-00	33307	l l			
carrier y water in line state weather lig.  Note-Where the rate is state specifically in writing	serveen two parts by a region of saling C and so regions a weight. At a dependent on value, shippers are not the agreed or declared value of the value of the property is hereby specific exceeding.	the property. recourse on the	consignor, the co	ons, if this shipment is to be a maignor shall sign the following or this shipment without	ng statement.	other Check	EIGHT CHARGES Appropriate Box:	
\$per			(Signature of Consignor) Collect				ollect	
or corporation in possessi destination. It is mutually erty, that every service to the date hereof, if this is	to the classifications and lawfully file of packages unknown), marked, cor on of the property under the contra agreed as to each carrier of all or be performed hereunder shall be a rail or a rail-water shipment or () of the said bill of lading, set forth imself and his assigns.	ict) agrees to carry to its usual any of, said property over all or ubject to all the terms and cond 2) in the applicable motor carrie	place of delivery any portion of sitions of the Unif classification or	at said destination, if on its r said route to destination and a orm Domestic Straight Bill of tariff, if this is a motor ca	oute, otherwise to deliver t as to each party at any tim Leding set forth (1) in Unif rier shipment. Shipper here	o another carrier e interested in a form Freight Clas aby certifies that	on the route to said I! or any of said prop- sifications in effect or he is familiar with al	
Mark with "RO" if appropriate to designate Hazardous Materials as defined in the U.S. Department of Transportation Regulations governing the transportation of hazardous materials. The use of this column is an optional method for identifying hezardous materials on Bills of Lading per 172.201(a)[11] (iii) of Title 49 Oodg of Federal Regulations. Also when shipping hazardous materials, the shipper's certification statement prescribed in section 172.204(a)[6] of the Federal Regulations, as indicated on the Bill of Lading does apply, unless a specific exception from the Regulation for a particular material.				The formst and content of hazardous item list is the responsibility of individual company interpretation of requirements as described in 49 Code of Federal Regulations 172, Subpart C-Shipping Papers. Such description consists of the following per Sections 172, 201 (Hazardous Material Table) and Sections 172, 202 and 172, 203: may be applicable. See Proper shipping narpe- hazardous class, UN identification number, packing group, and subsidiary class(s).				
SHIPPER KALL Pour				CARRIER J. Million W.				
PER HISS / SIA				PER				
This is to certify that the above named materials are properly classified, packaged, marked, and labeled, and are in proper condition for transportation according to the tion was made available and/or carrier has the U.S. Department of Transportation emergency responsi							ency response informa	

applicable regulations of the U.S. Department of Transportation.

or equivalent documentation in the vehicle. Property described above is received in good order, except as noted.